

## Tables

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 34,999 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 January and 31 March 2006 (Table 2). The notification rate of diseases per 100,000 population for each State or Territory is presented in Table 3.

There were 5,543 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 January to 31 March 2006 (Tables 4 and 5).

**Table 1. Reporting of notifiable diseases by jurisdiction**

Disease	Data received from:	Disease	Data received from:
<b>Bloodborne diseases</b>		<b>Vaccine preventable diseases</b>	
Hepatitis B (incident)	All jurisdictions	Diphtheria	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions	<i>Haemophilus influenzae</i> type b	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld	Influenza (laboratory confirmed)*	All jurisdictions
Hepatitis C (unspecified)	All jurisdictions	Measles	All jurisdictions
Hepatitis D	All jurisdictions	Mumps	All jurisdictions
<b>Gastrointestinal diseases</b>		Pertussis	All jurisdictions
Botulism	All jurisdictions	Pneumococcal disease (invasive)	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW	Poliomyelitis	All jurisdictions
Cryptosporidiosis	All jurisdictions	Rubella	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions	Rubella - congenital	All jurisdictions
Hepatitis A	All jurisdictions	Tetanus	All jurisdictions
Hepatitis E	All jurisdictions	<b>Vectorborne diseases</b>	
Listeriosis	All jurisdictions	Barmah Forest virus infection	All jurisdictions
Salmonellosis	All jurisdictions	Flavivirus infection (NEC) <sup>†</sup>	All jurisdictions
Shigellosis	All jurisdictions	Dengue	All jurisdictions
SLTEC, VTEC	All jurisdictions	Japanese encephalitis virus	All jurisdictions
Typhoid	All jurisdictions	Kunjin virus	All jurisdictions
<b>Quarantinable diseases</b>		Malaria	All jurisdictions
Cholera	All jurisdictions	Murray Valley encephalitis virus	All jurisdictions
Plague	All jurisdictions	Ross River virus infection	All jurisdictions
Rabies	All jurisdictions	<b>Zoonoses</b>	
Smallpox	All jurisdictions	Anthrax	All jurisdictions
Tularemia	All jurisdictions	Australian bat lyssavirus	All jurisdictions
Viral haemorrhagic fever	All jurisdictions	Brucellosis	All jurisdictions
Yellow fever	All jurisdictions	Leptospirosis	All jurisdictions
<b>Sexually transmissible infections</b>		Lyssaviruses unspecified	All jurisdictions
Chlamydial infection	All jurisdictions	Ornithosis	All jurisdictions
Donovanosis	All jurisdictions	Q fever	All jurisdictions
Gonococcal infection	All jurisdictions	<b>Other bacterial infections</b>	
Syphilis (all)	All jurisdictions	Legionellosis	All jurisdictions
Syphilis < 2 years duration	All jurisdictions	Leprosy	All jurisdictions
Syphilis > 2 years or unspecified duration	All jurisdictions	Meningococcal infection	All jurisdictions
Syphilis - congenital	All jurisdictions	Tuberculosis	All jurisdictions

\* Laboratory confirmed influenza is not notifiable in South Australia but reports are forwarded to NNDSS.

† Flavivirus (NEC) replaced Arbovirus (NEC) from 1 January 2004.

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2006, by date of onset\*

Disease	State or territory							Total 1st quarter 2006 <sup>†</sup>	Total 4th quarter 2005	Total 1st quarter 2005	Last 5 years mean 1st quarter	Year to date 2006	Last 5 years YTD mean	Ratio <sup>‡</sup>	
	ACT	NSW	NT	Qld	SA	Tas	Vic								WA
<b>Bloodborne diseases</b>															
Hepatitis B (incident)	1	13	3	14	0	2	18	11	62	53	75	88.0	62	87.6	0.7
Hepatitis B (unspecified)	22	657	36	243	73	8	401	96	1,536	1,660	1,798	1,652.0	1,536	1,652.4	0.9
Hepatitis C (incident)	0	12	0	0	15	2	28	27	84	79	88	132.0	84	132.2	0.6
Hepatitis C (unspecified)	51	1,634	73	803	112	82	697	273	3,725	3,573	3,473	3,986.0	3,725	3,986.4	0.9
Hepatitis D	0	2	0	3	0	0	0	0	5	6	4	5.0	5	4.8	1.0
<b>Gastrointestinal diseases</b>															
Botulism	0	0	0	0	0	0	0	0	0	0	1	1.0	0	0.5	0.0
Campylobacteriosis <sup>§</sup>	110	NN	54	907	429	135	1,302	573	3,510	4,979	4,177	4,068.0	3,510	4,067.6	0.9
Cryptosporidiosis <sup>  </sup>	39	397	26	333	78	11	498	72	1,454	785	1,257	990.0	1,454	989.8	1.5
Haemolytic uraemic syndrome	0	4	0	0	1	0	0	0	5	8	4	3.0	5	3.2	1.6
Hepatitis A	2	35	13	17	3	1	15	7	93	68	82	112.0	93	112.2	0.8
Hepatitis E	1	2	0	0	0	0	2	0	5	2	17	8.0	5	7.6	0.7
Listeriosis	0	9	0	0	2	0	5	8	24	18	13	17.0	24	17.2	1.4
Salmonellosis (NEC)	36	719	93	1,167	195	81	464	270	3,025	2,461	2,720	2,702.0	3,025	2,701.8	1.1
Shigellosis	1	25	28	40	11	1	21	52	179	171	228	173.0	179	173.4	1.0
SLTEC, VTEC <sup>†</sup>	0	3	0	2	10	0	0	0	15	24	15	16.0	15	16.2	0.9
Typhoid	3	7	1	1	1	0	6	3	22	9	23	28.0	22	28.0	0.8
<b>Quarantinable diseases</b>															
Cholera	0	0	0	0	0	0	0	0	0	0	2	1.0	0	1.0	0.0
Plague	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rabies	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Smallpox	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Tularemia	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Yellow fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0

**Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2006, by date of onset,\***  
*continued*

Disease	State or territory							Total 1st quarter 2006†	Total 4th quarter 2005	Total 1st quarter 2005	Last 5 years mean 1st quarter	Year to date 2006	Last 5 years YTD mean	Ratio†
	ACT	NSW	NT	Qld	SA	Tas	Vic							
<b>Sexually transmissible infections</b>														
Chlamydia infection**	209	3,029	462	2,462	731	255	1,884	1,460	9,858	10,342	7,650.0	10,492	7,650.2	1.4
Donovanosis	0	0	0	0	0	0	0	0	3	5	6.0	0	5.6	0.0
Gonococcal infection	8	474	378	426	117	5	386	421	1,952	2,052	1,778.0	2,215	1,778.2	1.2
Syphilis (all)	4	251	55	72	12	6	92	45	490	538	300.0	537	300.0	1.8
Syphilis < two years duration	0	27	35	25	3	2	22	5	125	155	132.0	119	132.0	0.9
Syphilis > two years or unspecified duration	4	224	20	47	0	4	70	40	364	383	347.0	409	347.0	1.2
Syphilis - congenital	0	2	1	0	0	0	0	0	3	5	3.0	3	3.2	0.9
<b>Vaccine preventable disease</b>														
Diphtheria	0	0	0	0	0	0	0	0	0	0	0.0	0	0.2	0.0
<i>Haemophilus influenzae</i> type b	0	1	2	0	0	0	0	0	5	7	5.0	3	5.2	0.6
Influenza (laboratory confirmed)††	4	32	8	86	3	7	10	25	417	384	153.0	175	153.2	1.1
Measles	0	5	0	0	1	0	4	1	2	5	23.0	11	23.4	0.5
Mumps	0	19	2	6	1	0	7	5	37	51	30.0	40	29.8	1.3
Pertussis	76	1,059	26	467	325	8	235	52	2,819	2,260	1,508.0	2,248	1,508.4	1.5
Pneumococcal disease (invasive)††	3	60	9	36	12	5	43	15	333	268	287.0	183	287.2	0.6
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rubella	0	4	0	2	2	0	0	0	3	6	32.0	8	32.2	0.2
Rubella - congenital	0	0	0	0	0	0	0	0	0	0	0.0	0	0.4	0.0
Tetanus	0	0	0	0	0	0	0	0	1	0	2.0	0	1.8	0.0
<b>Vectorborne diseases</b>														
Barmah Forest virus infection	6	220	49	265	86	0	9	68	296	364	324.0	703	323.6	2.2
Dengue	3	14	11	21	3	0	1	6	48	95	155.0	59	155.4	0.4
Flavivirus infection (NEC)	0	0	0	10	0	0	9	0	4	9	22.0	19	22.0	0.9
Japanese encephalitis virus††	0	0	0	0	0	0	0	0	0	0	0.0	0	0.2	0.0
Kunjin virus††	0	0	0	0	0	0	0	0	2	1	5.0	0	5.0	0.0
Malaria	5	31	11	91	8	4	27	33	140	349	211.0	210	211.4	1.0
Murray Valley encephalitis virus††	0	0	0	0	0	0	0	1	0	2	2.0	1	2.0	0.5
Ross River virus infection	5	680	171	1,583	193	6	164	426	762	928	1,270.0	3,228	1,269.8	2.5

**Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2006, by date of onset,\***  
continued

Disease	State or territory							Total 1st quarter 2006†	Total 4th quarter 2005	Total 1st quarter 2005	Last 5 years mean 1st quarter	Year to date 2006	Last 5 years YTD mean	Ratio†
	ACT	NSW	NT	Qld	SA	Tas	Vic							
<b>Zoonoses</b>														
Anthrax <sup>  </sup>	0	1	0	0	0	0	0	0	0	0	0	1	0.0	0.0
Australian bat lyssavirus <sup>  </sup>	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
Brucellosis	0	1	0	18	0	0	0	0	18	12	8.0	19	8.4	2.3
Leptospirosis	0	6	2	38	0	0	0	0	26	40	63.0	46	63.0	0.7
Lyssavirus unspecified <sup>  </sup>	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Ornithosis	0	23	0	1	0	0	8	1	28	38	41.0	33	40.6	0.8
Q fever	0	36	0	36	4	0	9	3	79	82	160.0	88	159.6	0.6
<b>Other bacterial infections</b>														
Legionellosis	2	29	0	9	7	1	29	21	82	88	77.0	98	77.2	1.3
Leprosy	0	0	0	0	0	0	0	0	1	5	3.0	0	3.4	0.0
Meningococcal infection <sup>††</sup>	0	27	2	16	3	2	19	5	105	74	103.0	74	103.2	0.7
Tuberculosis	0	62	5	38	16	1	90	30	182	231	232.0	242	232.4	1.0
<b>Total</b>	595	9,836	1,576	9,285	2,457	629	6,575	4,055	34,999	32,756	28,914.0	35,008	28,917.1	1.2

\* Date of onset = the true onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen date of collection, or (ii) the date of notification to the public health unit. Hepatitis B and C unspecified were analysed by the date of notification.

† Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

‡ Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter. Note: Ratios for Syphilis < 2 years; syphilis > 2 years or unspecified duration based on 2 years data

§ Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

|| Notifiable from January 2001 only. Ratio and mean calculations are based on the last five years.

¶ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

\*\* Includes Chlamydia trachomatis identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

†† Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

**Table 3. Notification rates of diseases, 1 January to 31 March 2006, by state or territory. (Rate per 100,000 population)**

Disease*	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
<b>Bloodborne diseases</b>									
Hepatitis B (incident)	1.2	0.8	5.9	1.4	0.0	1.6	1.4	2.2	1.2
Hepatitis B (unspecified)	27.1	38.8	71.0	24.5	18.9	6.6	31.9	19.1	30.2
Hepatitis C (incident)	0.0	0.7	0.0	0.0	3.9	1.6	2.2	5.4	1.7
Hepatitis C (unspecified)	62.7	96.5	144.0	81.0	29.1	67.6	55.5	54.3	73.3
Hepatitis D	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.1
<b>Gastrointestinal diseases</b>									
Botulism	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis <sup>†</sup>	135.3	NN	106.5	91.5	111.3	111.3	103.7	114.0	103.6
Cryptosporidiosis	48.0	23.4	51.3	33.6	20.2	9.1	39.7	14.3	28.6
Haemolytic uraemic syndrome	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.1
Hepatitis A	2.5	2.1	25.6	1.7	0.8	0.8	1.2	1.4	1.8
Hepatitis E	1.2	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Listeriosis	0.0	0.5	0.0	0.0	0.5	0.0	0.4	1.6	0.5
Salmonellosis (NEC)	44.3	42.5	183.4	117.8	50.6	66.8	37.0	53.7	59.5
Shigellosis	1.2	1.5	55.2	4.0	2.9	0.8	1.7	10.3	3.5
SLTEC, VTEC <sup>‡</sup>	0.0	0.2	0.0	0.2	2.6	0.0	0.0	0.0	0.3
Typhoid	3.7	0.4	2.0	0.1	0.3	0.0	0.5	0.6	0.4
<b>Quarantinable diseases</b>									
Cholera	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Sexually transmissible infections</b>									
Chlamydial infection <sup>§</sup>	257.1	178.9	911.3	248.4	189.6	210.2	150.0	290.5	206.5
Donovanosis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gonococcal infection	9.8	28.0	745.6	43.0	30.3	4.1	30.7	83.8	43.6
Syphilis (all)	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.2
Syphilis < 2 years duration	0.0	1.6	69.0	2.5	0.8	1.6	1.8	1.0	2.3
Syphilis > 2 years or unspecified duration	4.9	13.2	39.4	4.7	0.0	3.3	5.6	8.0	8.0
Syphilis - congenital	0.0	0.1	2.0	0.0	0.0	0.0	0.0	0.0	0.1

**Table 3. Notification rates of diseases, 1 January to 31 March 2006, by state or territory. (Rate per 100,000 population), *continued***

Disease*	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
<b>Vaccine preventable diseases</b>									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.1	3.9	0.0	0.0	0.0	0.0	0.0	0.1
Influenza (laboratory confirmed)	4.9	1.9	15.8	8.7	0.8	5.8	0.8	5.0	3.4
Measles	0.0	0.3	0.0	0.0	0.3	0.0	0.3	0.2	0.2
Mumps	0.0	1.1	3.9	0.6	0.3	0.0	0.6	1.0	0.8
Pertussis	93.5	62.5	51.3	47.1	84.3	6.6	18.7	10.3	44.2
Pneumococcal disease (invasive)	3.7	3.5	17.8	3.6	3.1	4.1	3.4	3.0	3.6
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rubella	0.0	0.2	0.0	0.2	0.5	0.0	0.0	0.0	0.2
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tetanus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Vectorborne diseases</b>									
Barmah Forest virus infection	7.4	13.0	96.7	26.7	22.3	0.0	0.7	13.5	13.8
Dengue	3.7	0.8	21.7	2.1	0.8	0.0	0.1	1.2	1.2
Flavivirus infection (NEC)	0.0	0.0	0.0	1.0	0.0	0.0	0.7	0.0	0.4
Japanese encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Malaria	6.2	1.8	21.7	9.2	2.1	3.3	2.2	6.6	4.1
Murray Valley encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
Ross River virus infection	6.2	40.2	337.3	159.7	50.1	4.9	13.1	84.8	63.5
<b>Zoonoses</b>									
Anthrax	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.1	0.0	1.8	0.0	0.0	0.0	0.0	0.4
Leptospirosis	0.0	0.4	3.9	3.8	0.0	0.0	0.0	0.0	0.9
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	1.4	0.0	0.1	0.0	0.0	0.6	0.2	0.6
Q fever	0.0	2.1	0.0	3.6	1.0	0.0	0.7	0.6	1.7
<b>Other bacterial infections</b>									
Legionellosis	2.5	1.7	0.0	0.9	1.8	0.8	2.3	4.2	1.9
Leprosy	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meningococcal infection <sup>  </sup>	0.0	1.6	3.9	1.6	0.8	1.6	1.5	1.0	1.5
Tuberculosis	0.0	3.7	9.9	3.8	4.2	0.8	7.2	6.0	4.8

\* Rates are subject to retrospective revision.

† Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

‡ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

§ Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

|| Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

**Table 4. Virology and serology laboratory reports by state or territory\* for the reporting period 1 January to 31 March 2006, and total reports for the year†**

	State or territory								This period 2006	This period 2005	Year to date 2006	Year to date 2005
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<b>Measles, mumps, rubella</b>												
Measles virus	–	4	–	3	1	–	3	–	11	2	11	2
Mumps virus	–	–	1	3	2	–	6	–	12	6	12	6
Rubella virus	–	–	–	–	1	–	–	1	2	4	2	4
<b>Hepatitis virus</b>												
Hepatitis A virus	–	–	1	4	5	–	–	–	10	6	10	6
Hepatitis D virus	–	–	–	–	1	–	–	–	1	2	1	2
Hepatitis E virus	–	–	–	–	–	–	1	–	1	6	1	6
<b>Arboviruses</b>												
Ross River virus	–	29	23	487	186	1	21	36	783	208	783	208
Barmah Forest virus	–	4	–	43	93	–	–	–	140	54	140	54
Flavivirus (unspecified)	–	1	–	21	–	–	6	–	28	13	28	13
<b>Adenoviruses</b>												
Adenovirus not typed/ pending	6	33	–	16	62	–	2	–	119	113	119	113
<b>Herpesviruses</b>												
Herpes virus type 6	–	–	–	–	–	–	1	–	1	1	1	1
Cytomegalovirus	–	46	–	39	201	7	4	–	297	171	297	171
Varicella-zoster virus	1	30	–	236	67	1	9	–	344	364	344	364
Epstein-Barr virus	–	8	23	225	188	1	16	78	539	569	539	569
<b>Other DNA viruses</b>												
Parvovirus	–	3	–	11	31	–	5	–	50	55	50	55
<b>Picornaviruses</b>												
Coxsackievirus A9	–	2	–	–	–	–	–	–	2	1	2	1
Echovirus type 5	–	2	–	–	–	–	–	–	2	–	2	–
Echovirus type 22	–	2	–	–	–	–	–	–	2	–	2	–
Echovirus type 30	–	7	–	–	–	–	–	–	7	9	7	9
Rhinovirus (all types)	–	5	–	–	5	–	–	–	10	82	10	82
Enterovirus not typed/ pending	4	41	–	6	1	–	–	–	52	24	52	24
<b>Ortho/ paramyxoviruses</b>												
Influenza A virus	–	1	–	2	22	–	–	–	25	24	25	24
Influenza B virus	–	1	–	–	2	–	–	–	3	33	3	33
Parainfluenza virus type 1	–	7	–	–	4	–	–	–	11	10	11	10
Parainfluenza virus type 2	–	–	–	–	1	–	–	–	1	6	1	6
Parainfluenza virus type 3	–	3	–	–	7	–	1	–	11	46	11	46
Respiratory syncytial virus	–	12	–	53	6	1	3	–	75	112	75	112
<b>Other RNA viruses</b>												
HTLV-1	–	–	–	–	4	–	–	–	4	2	4	2
Rotavirus	–	7	–	–	32	10	3	–	52	69	52	69
Norwalk agent	–	–	–	–	–	–	181	–	181	15	181	15

**Table 4. Virology and serology laboratory reports by state or territory\* for the reporting period 1 January to 31 March 2006, and total reports for the year,† *continued***

	State or territory								This period 2006	This period 2005	Year to date 2006	Year to date 2005
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<b>Other</b>												
<i>Chlamydia trachomatis</i> not typed	6	204	–	648	533	19	21	2	1,433	1,191	1,433	1,191
<i>Chlamydia psittaci</i>	–	–	–	–	–	–	7	–	7	14	7	14
<i>Mycoplasma pneumoniae</i>	1	6	4	137	105	11	51	20	335	258	335	258
<i>Mycoplasma hominis</i>	–	10	–	–	–	–	–	–	10	1	10	1
<i>Coxiella burnetii</i> (Q fever)	–	1	–	17	24	–	5	–	47	35	47	35
<i>Rickettsia</i> - spotted fever group	–	–	–	–	56	–	–	–	56	49	56	49
<i>Streptococcus</i> group A	–	5	–	101	–	–	31	–	137	104	137	104
<i>Yersinia enterocolitica</i>	–	2	–	1	–	–	–	–	3	4	3	4
<i>Brucella</i> species	–	–	–	2	–	–	–	–	2	2	2	2
<i>Bordetella pertussis</i>	1	6	3	49	301	1	62	–	423	386	423	386
<i>Legionella pneumophila</i>	–	3	–	–	3	–	1	–	7	7	7	7
<i>Legionella longbeachae</i>	–	–	–	–	5	–	1	–	6	12	6	12
<i>Cryptococcus</i> species	–	1	–	2	7	–	–	–	10	10	10	10
<i>Leptospira</i> species	–	2	–	1	4	–	–	–	7	3	7	3
<i>Treponema pallidum</i>	–	7	2	145	110	–	1	–	265	252	265	252
<i>Toxoplasma gondii</i>	–	3	–	4	4	3	2	–	16	10	16	10
<i>Echinococcus granulosus</i>	–	–	–	–	3	–	–	–	3	5	3	5
<b>Total</b>	<b>19</b>	<b>498</b>	<b>57</b>	<b>2,256</b>	<b>2,077</b>	<b>55</b>	<b>444</b>	<b>137</b>	<b>5,543</b>	<b>4,350</b>	<b>5,543</b>	<b>4,350</b>

\* State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.

† Data presented are for reports with reports dates in the current period.

– No data received this period.



**Table 5. Virology and serology reports by laboratories for the reporting period 1 January to 31 March 2006\***

State or territory	Laboratory	January 2006	February 2006	March 2006	Total this period
Australian Capital Territory	The Canberra Hospital	–	–	–	–
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	116	118	153	387
	New Children's Hospital, Westmead	19	20		39
	Repatriation General Hospital, Concord	–	–	–	–
	Royal Prince Alfred Hospital, Camperdown	–	–	–	–
	South West Area Pathology Service, Liverpool	–	–	–	–
Queensland	Queensland Medical Laboratory, West End	794	769	802	2,365
	Townsville General Hospital	–	–	–	–
South Australia	Institute of Medical and Veterinary Science, Adelaide	700	645	753	2,098
Tasmania	Northern Tasmanian Pathology Service, Launceston	24	17	11	52
	Royal Hobart Hospital, Hobart	–	–	–	–
Victoria	Monash Medical Centre, Melbourne	6			6
	Royal Children's Hospital, Melbourne	39	28	50	117
	Victorian Infectious Diseases Reference Laboratory, Fairfield	147	87	63	297
Western Australia	PathCentre Virology, Perth	–	–	–	–
	Princess Margaret Hospital, Perth	–	–	–	–
	Western Diagnostic Pathology	78	88	16	182
<b>Total</b>		<b>1,923</b>	<b>1,772</b>	<b>1,848</b>	<b>5,543</b>

\* The complete list of laboratories reporting for the 12 months, January to December 2006, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

– No data received this period.