



Appendix 1.

Historical charts of notifications of vaccine preventable diseases

Diphtheria, 1917–2002




***Haemophilus influenzae* type b disease, 1991–2002**




↓ Indicates major change in vaccination policy. 1993; Source: Hall R. Notifiable disease surveillance, 1917 to 1991. *Commun Dis Intell* 17:226–36. Updated with NNDSS data 1992–2002.

Hepatitis A, 1952–2002




Measles, 1917–2002




↓ Indicates major change in vaccination policy. 1993; Source: Hall R. Notifiable disease surveillance, 1917 to 1991. *Commun Dis Intell* 17:226–36. Updated with NNDSS data 1992–2002.

Meningococcal disease (invasive), 1949–2002




Pertussis, 1917–2002




↓ Indicates major change in vaccination policy. 1993; Source: Hall R. Notifiable disease surveillance, 1917 to 1991. *Commun Dis Intell* 17:226–36. Updated with NNDSS data 1992–2002.

Poliomyelitis, 1917–2002




Rubella, 1917–2002



↓ Indicates major change in vaccination policy. 1993; Source: Hall R. Notifiable disease surveillance, 1917 to 1991. *Commun Dis Intell* 17:226–36. Updated with NNDSS data 1992–2002.

Tetanus, 1917–2002



↓ Indicates major change in vaccination policy. 1993; Source: Hall R. Notifiable disease surveillance, 1917 to 1991. *Commun Dis Intell* 17:226–36. Updated with NNDSS data 1992–2002.